INDEX TO VOLUME 19

New taxonomic names and the page numbers of the principal references are printed in **bold** type. An asterisk (*) denotes a figure.

Abies sp. **375**, 404; Pl. 3, fig. 5
Abietineaepollenites microalatus 378
  sp. 376
Absolute pollen frequency 394*, 395–8
acanthopterygian fishes 263, 268
acid preparation 208–9, 290
Acrognathus 253
Actinosiphon punjabensis 100, **109**, 129
ADAMS, C. G. 85–137
Aegiria 142–3, 146, 152–3, 165, 167, 191–3, **195**, 196, **197**, 198–9
  garthensis 192, **195**, 196–7, 199; Pl. 17, figs. 4–7
  grayi 153, **197**, 198–9; Pl. 17, figs. 3–14
  norvegica 192, 195–6, 199
  thomasi 195
Aegiromena 165, **191**, 192–3
  myrmido 192
  ultima 192
  sp. 191, **192**; Pl. 16, figs. 13, 14
Aegironetes 191
Aegironites 165
Aegyromeninae 154, 164, **191**
age determinations, Derbyshire plant beds 399–402
Agerina 426
  sp. nov. 423
agraulid trilobite 419
Aipichthys 253
Aktinocyclina spp. **109**, 129
Albula 278
alepocephaloid fishes 266
Alepocephalus 267
Alifan Limestone 99
Allothrissops 266
Alnus 404
  sp. **385**; Pl. 8, figs. 9, 10
Alveolinella 93–4, **109**, 121
  borneensis 109
  fennemai 107, **109**, 129
  quoyi 107–8, **109**, 121, 129
Alveolina 114
  cucumoides 115
Amia 259, 262, 266
Ampyx sp. 423
Anaethalion 262, 266
  valdensis 283
anal fin of *Gaudryella* 227
  of *Humbertia* 247–8
anatomy, soft, of *Gaudryella* 230–1
  of *Humbertia* 249–50
Aneimia 373
Anisopleurella 152–3, 164–6, **189**, 190–1
  balclatchiensis 189
  gracilis 153, **189**, 190–1; Pl. 16, figs. 1–9
  inaequistriata 189
  ovalifera 189
  tricostellata 164, 189
Anomites transversalis 143, 168, 177
Anoptambonites 154
Anoptambonitidae 154
Apatokephalus sp. 423
Aplochiton 275
  zebra 276
aplochitonid fishes 276
Aquifoliacea **388–9**
Aralia 383
Araliacea **382–3**
Archaias **109**, 126
  operculiniformis **109**, 129
  vandervlerki **109**, 129
Argentina 230, 254, 265, 267, 270–1, 284, 291
  sialis 254*, 264*, 266*, 269*, 272
  silus 271
argentinoid fishes 266–8, 270–1, 278
Argilloecia (?) sp. A **315**; Pl. 1, figs. 24–5, 27–8
asaphid trilobites 421–2, 426
Ashgill Series 4, 9–10
Asmari Formation 96–7
Aspidorhynchus 263
Assam 89* & Fig. 2; 96
Assilina 101–2, **109**, 114, 124
  cancellata 102, **109**, 110
  dandotica 100, **109**, 129
  exponens 102, **109**, 110, 129
  granulosa 101, **109–10**, 129
  leymeriei 101, 109
  ranikoti 110
  spinosa 109
  spira 102, **110**, 129
  spp. 110, 129
Asterocyclina 92, 103
  matanzensis 103, 110
  spp. 102, **110**, 129

Asterorotalia multispinosa 110
  pulchella **110**, 129
  subtrispinosa 110
  trispinosa 110
Astronesthes 273
astronesthid fishes 274
Atrypa 188
Aulacothyris 30
Aulacothyropsis reflexa 78
Aulopus 228, 281
Australia 89* & Fig. 2
Austrotrillina 93, 100, **110**
  asmariensis 106, **110**, 129
  howchini 97–8, 106–7, **110**, 121, 123, 126, 129
  paucialveolata **110**, 129
  striata 97, 106, **110**, 128–9

Back-reef environments 93
Bactroceras sp. 422
Baculatisporis primarius 372
  quintus 372
Baculatisporites 372
Baculogypsina sphaerulata 99, 108, **110**, 129
Bairdiacea 314
Balowella 349
Barrigada Limestone 99
Bathylagus 254, 266, 270–2
  antarcticus 267*, 271*, 272*
Bee's Nest Pit, Derbyshire 362, 392–9, 393*, 396*
Belothyrinae 32
Belothyris 29–30, 32–3, 37–8, 43, 45, 48, 69, **70–2**
  marianoviensis 33
  nettletonensis 71; Pl. 9, figs. 6a–c
  plana 33, 43, 48, 70
  pseudojurensis 29, 33, 43, 69, **70**, 71
  regularis 33
Berwyn Hills 8
Betula 385, 398
Betulacea **385**
Beyşehir area, Turkey, geology of 414*
  stratigraphy of 411–26, 425*
Beyşehir–Seydişahir district, geological map 414*, 415*
  Lower Palaeozoic succession 425*
  Ordovician localities 420*, 421*
Bikini atoll 89* & Fig. 2; 97
Bilobia 156
Bimuria 158
Bimuriidae 154
Biplanispira 91–2, 96
  spp. 103, **110–11**, 129
Birkhill Shales 4, 6
Bonya Limestone 99
Borelis 93, 104, **111**
  inflata 111
  melo curdica 107, **111**, 129
  melo melo 97, 107, **111**, 128–9
  parvulus 111
  philippinensis 111
  primitivus 111
  pulchrus 108, **111**, 128–9
  pygmaeus 104, **111**, 128–9
  schlumbergeri 108, **111**, 128–9
Boreloides eniwetokensis **111–12**, 129
Borneo 89* & Fig. 2
Borostomias 273
  antarcticus 274
Boulter, M. C. 359–410
Boundaries, East Indian Tertiaries, Ta_1/Ta_2 101
  Lower/Middle Eocene 102
  Middle/Upper Eocene 102–3
  Eocene/Oligocene 103–4
  Lower/Middle Oligocene 104
  Middle/Upper Oligocene 105
  Oligocene/Miocene 106
  Lower/Middle Miocene 106–7
  Lower/Upper T*f* 107
  T*f*/T*g* 108
  T*g*/T*h* 108
brachiopods 416, 424, 426
Brachygalaxias 275–6
braincase of *Gaudryella* 211–17
  of *Humbertia* 232–8
branchial arches of *Gaudryella* 222
  of *Humbertia* 245
branchiostegals of *Gaudryella* 222
  of *Humbertia* 243–5
  of salmonid fishes 268–9
Brassington, see Bee's Nest Pit
Brora 302, 304, 307, 310–11
  stratigraphical succession and position of samples Fig. 4 (facing 306)
Bullalveolina bulloides **112**, 129
Burrirhynchia leightonensis 57
Bythocytheridae 318–20

Çal Tepe district, Turkey, Cambrian fossil localities 417*
  section 418*
Çal Tepe formation, Cambrian of Turkey 416, 417*, 418–19
Calcarina 93
  spengleri 99, 108, **112**, 129
Calluna 385
  sp. **390**; Pl. 9, fig. 9
calymenid trilobites 426
Calymenid–Trinucleid Province 422
Camarozonosporites 370
Cambrian of Turkey 416–19
Campages 32, 44, 49
  basilarica 49
Cape Range, Australia 89* & Fig. 2
Cape Range Limestones 98
Caproberyx 253
Caradoc–Ashgill boundary 4, 8–10
Caradoc Series 4, 9, 10
Carolinites 426
  sp. 423
Carpinus 404
  sp. **387**; Pl. 8, fig. 14

Carya sp. **387**, 400, 402, 404; Pl. 8, fig. 15
Cassandra 253; see also *Sardinioides neumayri* 284–5
Castanea sp. 400
Caturus 263
caudal skeleton and fin of *Gaudryella* 228–30
  of *Humbertia* 248–9
  of salmonid fishes 269–78, 279*
caudal structures in euteleost fishes 279*
Caytonidea perforata 332
  terraefullonicae **332**; Pl. 2, figs. 7–8
Cedrus 404
  lebani 376, 402
  sp. **375–6**; Pl. 3, figs. 6a–b
Cephalopod, n. gen. & sp. 422
cephalopods 416, 422, 426
Chanopsis 278
Chanos 253, 263, 266, 276, 278
Chapmanina sp. **112**, 129
Charitosomus 276, 278
  hakelensis 253, 277*
Chauliodus 274
cheirurid ? trilobite 421
Chimbu Limestones 96
Chonetes minima 197
Chonetoidea 143, 146, 152, 165, 191, **192–3**, 194–5, 197–8
  alpha 193
  gamma 193
  garthensis 195
  grayi 197–8
  iduna 193
  papillosa 191–2, **193**, 194; Pl. 17, figs. 1–3
  radiatula 194
  simorina 193
  staermeri 193
  tenerrima 194
  virginica 193
  sp. 195, 197
Christmas Island (Indian Ocean) 89* & Fig. 2; 98
Cingulatisporites pseudoreddeni 371
circumorbital bones of *Gaudryella* 217–19
  of *Humbertia* 238–40
Cladocopina 311–13
Cladograpsus capillaris 20
  linearis 20
Climacograptus 4, 6–9, 13, 16, 21, **22–3**
  angustus 23
  hvalross 6–7, **22**; Pl. 11, figs. 1–4, 7
  latus 6, **22**; Pl. 15, figs. 1–2
  scalaris ? 8
  scalaris miserabilis 6–7, 13, **23**; Pl. 12
  styloideus 7–9, **22**, 23; Pl. 13, figs. 1–4, 6
  supernus 6, 16–17, 21, **22**; Pl. 11, figs. 5–6, 8–10
  wilsoni 4
Climatic groups, Derbyshire Neogene pollen 404
Clorinda sp. 188
Clupavidae 283–8
Clupavus 207, 266, 283–91
  brodiei 283
  casieri 287–8
  longicaudatus 286–8
  maroccanus 283–5, 287–8, 291
  nevadensis 287
  cf. *neocomiensis* 283, 285, 286*
  yamangiensis 286, 288
  sp. 210
Clupea 220
  gaudryi 209, 288; see *Gaudryella*
clupeoid fishes 221, 235, 265–6
Cocks, L. R. M. 142–203
Colpocoryphe sp. 422
complanatus Band 5–6, 8, 13, 23
  Zone 8–10, 13
    Belcraig Burn 13
    Craigmichan Scaurs 13
    Moory Syke 13
Compositae **391**, 404
Compositoipollenites rizophorus **391**; Pl. 9, fig. 4
Concavisporites acutus 371
  argulatus 371
  obtusangulus 371
Conocoryphe 424
  sp. 418
Coolinia aff. *applanata* 188
Coregonus 221, 252, 262, 266, 268
  lavaretus 252*, 254*, 262
Corsinipollenites 404
  maii **390–1**; Pl. 9, fig. 5
Corylacea **387**
Corylus 398, 404
  sp. **387**; Pl. 8, fig. 5
Corynexochus sp. 418–19
Coskinolina **112**
  rotaliformis **112**, 129
Craighead Inlier 10
Cryptomeria 383
  sp. **374**; Pl. 3, fig. 3
Cryptonellacea 29
Ctenocephalus 424
  sp. 418
Ctenothrissa 253, 266, 268
ctenothrissiform fishes 268
Cupuliferoipollenites villensis 400
Cycloclypeus 93–4, 97, 112, 115, 123, 127
  carpenteri 99, 108, **112**, 113, 129
  eidae 99, 104, 106, **112**, 117, 129
  guembelianus 108, 112
  indopacificus 99, 107, **112**, 120, 129
    vandervlerki 97
  koolhoveni 104, **112**, 129
  neglectus 120
  oppenoorthi 104, **112**, 129
  posteidae 99, 107, **112–13**, 129
  postindopacificus 99, 108, 112, **113**
  (*Katacycloclypeus*) *annulatus* 99, 107, **113**, 120, 129
  (*Radiocycloclypeus*) *radiatus*/*stellatus* **113**, 129

Cyclopyge sp. 424
Cyclothyris 51
  antidichotoma 51
  difformis 56
  mirabilis 51
Cyphomena (*Cyphomenoidea*) 166
Cypridacea 314–16
cyprinoid fishes 266
Cyrtonotella ? sp. 421
Cytheracea 316–53
Cythereis stimulea 319
Cytherella fullonica **313–14**; Pl. 1, figs. 12–14, 16, 18
Cytherellidae 313–14
Cytheridea dolabra 323
  ignobilis 323
  parallela 323
  pentagonalis 323
  puteolata 323
  vulsa 319
Cytherideidae, Cytherideinae 320–3
Cytheropteron aquitanum **329**; Pl. 7, figs. 14–16
Cytherura 323–4
  bathonica 324–5
  lacrimula 324
  liesbergensis 324
  mediojurassica 324–5
Cytheruridae 323–32

Dacrycarpus 380
Dalejodiscus 165–6
  comitans 166
Dallinidae 29–32, 41, 48–9, 78
Dallininae 31
dalmanellid brachiopods 421
Dastilbe 278
Dean, W. T. 413–26
dentition of salmonid fishes 265–8
Derbyshire, Neogene plant beds, palynological study 359–410
    age determinations 399–402
  Neogene environment in, 402–4
Dereta pectita 56
dermal upper jaw of *Gaudryella* 220
  of *Humbertia* 241–2
Diambonia 156–7
  discuneata 157
diastems 100
Dicellograpsus 10, 17
  anceps 10
  morrisi 17
Dicellograptus 4, 6–9, **10**, 11*, **12**, 13, **14**, 15*, **16–19**, 20–2
  anceps 4, 6–9, **10**, 11*, 12–13, 16–18, 19*, 21–2; Pl. 2; Pl. 3, figs. 2–7
  angulatus 16
  carruthersi 4, 7, 17, **18**, 19*, 22; Pl. 7, figs. 5–6
  complanatus 4, 6–10, 11*, **12**, 13–17, 19*; Pls. 4–5; Pl. 6, fig. 1
    arkansasensis 16–17
    complexus 6
    maximus 13
    ornatus 4, 7, 14–17
  cf. *elegans* 7, **19**, 20; Pl. 9, figs. 1–3
    rigens 7, 20
  forchammeri 7–8, 13, 15
  moffatensis 7, **17**, 18; Pl. 8; Pl. 9, figs. 4–5
  morrisi 7, 9, 12–13, **17**, 18, 19*, 22; Pl. 7, figs. 1–4
  ornatus 4, 6–7, 9–10, **14**, 15*, 16–18; Pl. 6, figs. 2–4
    minor 4, 6, 9–10, 14, 15*, **16**, 17; Pl. 6, figs. 5–7
  pumilus 7, 9, 18
Dicranograptidae **10**
Dicranograptus clingani 4, 7, 9
  nicholseni 7
  ramosus 7
Dictyoconoides **113**
  cooki 102, **113**, 130
  flemingi **113**, 129
  kohaticus 113
Dictyoconus **113**
  melinavensis 104, **113**, 130
Didymograpsus 10, 16–17, 19
  anceps 10
  elegans 19
  flaccidus 16–17
  Moffatensis 17
Didymograptina 10
Didymograptus 422
  deflexus 422
  flaccidus 15
  cf. *nitidus* 422
Digonella 78
Diplograptidae **21**
Diplograptina 21
Diplograptus 6, 8, **21**, 23
  euglyphus angustus 23
  fastigatus 6, **21**, 24; Pl. 14
  quadrimucronatus 23
  socialis 24
  truncatus 8, 23–4
    abbreviatus 24
    pauperatus 24
    socialis 24
Diplomystus 235
  brevissimus 209
Discocyclina 92–4, 101–3, 109, **113**
  archiaci **113**, 130
  dispansa 102–3, **113**, 130
  javana 102, **113–14**, 130
  omphalus 103, **114**, 130
  ranikotensis 100, **114**, 130
  sella 103, **114**, 130
  sowerbyi 102, **114**, 130
  undulata **114**, 130
Distancoraesporis 369
Distgranisporis 369

Distverrusporis 369
Distzonosporis 369
Dobbs Linn 4–6, 9, 13–21, 23–4
dorsal fin of *Gaudryella* 227
  of *Humbertia* 247
Drummuck Group 7–8, 10, 12
Dubioleptina expulsa 154
Dubioleptinidae 154
Dunghan Hill, W. Pakistan 89* & Fig. 2
Dunghan Limestone 95, 101

East Indian letter classification of Tertiary 85–137
elopiform fishes 263
elopoids 265
Elops 220, 228–9, 248, 262, 266–7, 281
Elphidium 121
Empetrum 404
  sp. **390**; Pl. 9, figs. 7–8
Engelhardtia sp. 400
Eniwetok 89* & Fig. 2; 97
Eocene 101–3
Eochonetes 164–6
  advena 164
Eocytheropteron aquitanum 329
Eodalmanella sp. 421, 423
Eoplectodonta 142–4, 146–8, 149*, 150–4, 164–5, **166**, 167–8, **169**, 170, **172**, 173–6, **177**, 178–81, **182**, 183–6, 188–9
  duplicata 147*, 151*, 153, **169**, 170–2, 174, 177, 179, 182, 185, 188; Pl. 5, figs. 1–12; Pl. 6, figs. 1–13; Pl. 7, figs. 1–11; Pl. 8, figs. 1–11
  duvali 142, 144*, 147*, 153, 170, 174, 177, 179, 181, **182**, 183–4; Pl. 12, figs. 14–16; Pl. 13, figs. 3, 7, 10
  mullochensis 153
  penkillensis 147*, 153, **172**, 173*, 174–7, 179–80, 181*, 182; Pl. 9, figs. 1–15; Pl. 10, figs. 1–12; Pl. 11, figs. 1–16
  precursor 164, 169, 172
  sowerbyana 184
  superstes 172
  transversalis 142, 147*, 172, 174, **177**, 178*, 179–80, 181*, 182–3; Pl. 12, figs. 1–13
Equisetum 374
Erica ? sp. **390**; Pl. 9, figs. 11a–b
Ericaceae **390**, 398, 404
esocoid fishes 266, 268
Esox 230, 259
ethmoid region (salmonid fishes) 259–65
Eucytherura ansata 328
  (*Vesticytherura*) **325–8**
    costaeirregularis 325–6; Pl. 6, figs. 9–19, 21
    gruendeli 326
    horrida 327; Pl. 6, figs. 20, 22–4; Pl. 7, figs. 1–6
    multituberculata 327
    scottia 328; Pl. 7, figs. 7–13
Eulepidina see *Lepidocyclina*
Euloma sp. 424
euteleost fishes 252–83
  caudal structures in, 279*

Fabiania saipanensis 114
  spp. **114**, 130
Facies element, Derbyshire Neogene pollen 404
Fagaceae **386–7**
Fascally Brick Pit Fig. 4 (facing 306)*; see also Brora
  distribution of ostracoda in 309*
Fasciolites 93–4, 100–2, **114**, 116, 124
  cucumiformis 114
  elliptica 114
    nuttalli 102, 114
  globosa 101, 114
  javanus 114
  oblonga 101, 114
  ovoidea 114
  subpyrienaica 101, 114
  timorensis 114
  vredenburgi 100, 114
  wichmanni 102, 114
  (*Glomalveolina*) *lepidula* 100, 114
  spp. 111, 130
Fastigatocythere interrupta interrupta 335–6
  interrupta directa 335–6
Flosculinella 94, 97, **114**
  bontangensis 97–9, 107, 109, 111, **114–15**, 121, 130
  globulosa 106, 111, 114, **115**, 128, 130
  reicheli 106, **115**, 130
Foraminifera, marker, in East Indian Tertiary 109–29
  ranges in Indo-West Pacific Region 129; Fig. 3*
Fore-reef shoal facies 93
Frenulina 39, 44, 47*, 48, 73*, 75, 78
  sanguinia 47*
  sanguiniolenta 73*
Friden, see Kenslow Top Pit
Fuhrbergiella crowcreekensis 351
  (*Praefuhrbergiella*) *horrida horrida* **343**; Pl. 12, figs. 13–15; Pl. 13, figs. 1–5

Gach Saran formation 96–7
Galaxias 275
  brevipennis 275*
  platei 276
galaxiids 276
galaxioid fishes 266, 275, 278
Galliaecytheridea **staffinensis 320–1**; Pl. 4, figs. 1–6
  wolburgi 321
Gaudryella 210, 232–3, 235–43, 245–91
  gaudryi 206, 209, **210–31***, 232, 250–2, 256*, 257*, 258*, 260*, 288, 291; Pl. 1, figs. 1–2; Pl. 2, fig. 1; Pl. 3, fig. 2; Pl. 4, fig. 1
    assignment 281–3
    comparisons with *Clupavus* and Clupavidae 283–8
      with Cretaceous teleosts 288–90

  differences from *Humbertia* 252–83
  similarities to *Humbertia* 250–2
Gemmarcula 32, 45, 48
  aurea 45, 48
Gemmarculinae 32
general features of *Gaudryella* 211
  of *Humbertia* 232
Geragnostus sp. 422–4
Germany, West, palynological divisions of Neogene 363*
Girvan 7–10, 12–14, 17, 24
Glabellacythere 'dolabra' 322, **323**, 358; Pl. 5, figs. 7–18
  nuda 323, 358; see *G. dolabra*
  reticulata **321–2**; Pl. 4, figs. 7–17; Pl. 5, figs. 1–6
Glassia 152
Gleichenia 398
Gleicheniacea **371**
Gleicheniidites senonicus 366, **371**; Pl. 2, figs. 2a–c
Glenkiln Shales 4
Globigerina binaiensis 121
Globigerina mergels 105
Globigerinoides altispira 96
  quadrilobatus 121, 128
    primordius 121
    trilobus 96
  sicanus 96
Globoquadrina altispira 96, 121
Globorotalia kugleri 121
  menardii 120
  velascoensis 101
Glomalveolina 114
Glyptograptus 4, 6, **21**
  avitus 21
  euglyphus angustus 23
  nicholsoni 4, 6, **21**; Pl. 15, fig. 3
  persculptus 21
  tamariscus 188
Glyptostrobus 374
Gomantong Limestone 98
gonorynchiform fishes 276
Gonorynchus 278
Gonostoma 273–4
Graminae **392**, 404
Graminidites media **391**; Pl. 9, figs. 12–13
graptolites 6, 416, 422, 426
Graptolithus quadrimucronatus 23
Guam 89* & Fig. 2; 99
Guverein Tepe 417
Gypsina **115**
  marianensis 111, **115**, 119, 130

Hadrocytheridea dolabra 323
Halkyardia 100, **115**
  minima indica 115
  spp. **130**
Halysites sp. 188
Hamamelidacea **383–4**
Hamptonina 32
Haploxylon 378
Hartfell–Birkhill boundary 4
Hartfell Shales 4–6, 8
  graptolite fauna 6
  lithology of highest shales 6
  zones 6–10
Hedera 389, 403
  helix 382
  sp. **382**, 404; Pl. 7, figs. 12–13
Helicolepidina 92
Heterolepidotus 263
Heterostegina 93–4, 104–6, 108, **115**, 125
  bantamensis 104, **115**, 130
  borneensis 93–4, 96, 99–100, 105–6, **115–16**, 117, 126, 130
  praecursor 104, 115
  reticulata 115
  ruida 105, 115
  saipanensis **116**, 130
  suborbicularis 99, 128
Holme Moss surface 402–3
Hoplopteryx 253
Humbertia 219, 229–30, **231**
  operta 206, 209, 211, 231, **232–50***, 250–91, 256*, 257*, 258, 260*; Pl. 1, fig. 3; Pl. 2, fig. 2; Pl. 3, fig. 1; Pl. 4, fig. 2; Pl. 5, figs. 1–2
    assignment 281–3
    comparisons with *Clupavus* and Clupavidae 283–8
      Cretaceous teleosts 288–90
    differences from *Gaudryella* 252–83
    similarities to *Gaudryella* 250–2
Hutsonia 349, 351
hyoid arch of *Gaudryella* 222
  of *Humbertia* 243–5
  of salmonid fishes 268–9
hyopalatine bones of *Gaudryella* 219–20
  of *Humbertia* 240–1
Hypomesus 221, 261, 265–7, 272–3, 280–1
  olidus 254*, 266*, 267*, 274*

ichthyodectid fishes 235
Ichthyokentema 263, 266
Idiacanthus 274
Idrissia jubae 289–90
Ilex 388–9, 403–4
  aquifolium 389
  canariensis 389
Illaenus 426
  sp. 423
Inaperturopollenites dubius **374**; Pl. 3, fig. 2
  hiatus **374**; Pl. 3, fig. 1
Indo-West Pacific Region 87
  foraminiferal ranges Fig. 3* (facing 129)
Intermediate element, Derbyshire Neogene pollen 404
Iran 89* & Fig. 2; 96–7
Ismenia pectunculoides 32
Isophragma 156

jaws of *Gaudryella* 220–2
  of *Humbertia* 241–3
  of salmonid fishes 265–8
Juglandacea **387–8**
Juglans sp. **387**, 404; Pl. 8, figs. 16a–b

Katacycloclypeus **113**, 129
Kenslow Top Pit, Derbyshire 362, 392–9, 393*, 394*, 397*
Keteleeria sp. 375, **376**, 404; Pl. 3, fig. 7
Khirthar Range, West Pakistan 89* & Fig. 2; 95
Kinabatangan Limestone 98
Kingena 29, 30–3, 35, 37–9, 41–2, 43*, 44*, 45*, 46*, 48, **49–52**, 53–4, **55–7**, 58, **59–70**, 72 73*, 74–6, 78
  alcocki 39
  arenosa 29, 35, 42, **55**, 56*, 57; Pl. 4, figs. 1–7; Pl. 5, figs. 1–5, 10
  asperulina 37–8, **67**, 68
  blackmorei 35, 38, 42, **63**, 64–6; Pl. 7, figs. 1–3; Pl. 8, fig. 1
  concinna **57**, 58*; Pl. 5, figs. 6–8; Pl. 6, figs. 4–6, 11
  constantinensis 39
  convexiformis 45, 52
  elegans 42, **59**, 60; Pl. 6. figs. 1–3
  granulifera 38, **68**, 69
  groenlandica 35
  hebertiana 38
  lemaniensis 29, 37, 45, 49, **50**, 51–2; Pl 1, figs. 1–4
  lima 29, 37, 52, 54–5, 57, 59, **61***, 62–4, 66; Pl. 6, figs. 7–8; Pl. 7, figs. 4a–c, 5a–c, 12
  mesembrina 29, 59, **60**, 69; Pl. 6, figs. 9a–c
  muirwoodae 54; see *spinulosa*
  newtoni 50–1
  occidentalis 35
  orbis 72
  pectoralis 35
  pentangulata 29, 35, 41–2, 46*, 51, 59, 63, **64**, 65*, 66–8; Pl. 7, figs. 6–7; Pl. 8, figs. 2–6, 13
  punjabica 38, **69**
  raincourti 39
  schweinfurthi 37
  sexradiata 61, **62**
  shalanurensis 38, **68**
  simiensis 39
  spinulosa 38, 42, 45*, **52**, 53*, 54–5, 57, 67; Pl. 2, figs. 1–6; Pl. 3, figs. 1–7, 9; see also *muirwoodae*
  tumida 38, **70**
  wacoensis 37, 75
  sp. 52
Kingenella 35
Kingenidae 29, **49**, 78
  distribution 34*
  morphology and structure 39
  previous research 31
  shell structure 48
  stratigraphical range 32
Kingeninae 29–30, 32–3, 39, 42, 48, **49**
Kirtonellinae 349–53
Kızılca, Sobova Formation 419, 421*
Kohat area, West Pakistan 89* & Fig. 2; 96
Kozlowskites 165–**7**
  nuntius 166
Krausella argoriensis 316
  sp. A **316**; Pl. 2, figs. 1–2, 5–6
Krausellidae 316

Lacazinella 114, **116**
  reicheli 104, **116**, 130
  wichmanni 99–100, 103, **116**, 130
Laevigatisporites 373
Laevigatosporites haardti **372**; Pl. 2, figs. 5–6
Lagoonal environments 93
Laqueidae **74**
Laqueinae 31, **74**
Laqueus 29, 39, 44, 47*, 48–9, 74–5, 76*, 77*
  californicus 47*, 76*, 77*
Leangella 142–3, 146, 148, 149*, 150, 152–3, 155, **156**, 157, **158**, 159–61, **162**, 163–4, 192, 197
  discuneata 157
  hamari 157–8
  ino 158
  scissa 143*, 150, 153, 157, **158**, 159–64; Pl. 1, figs. 11–14; Pl. 2, figs. 1–14; Pl. 3, figs. 1–11; Pl. 4, figs. 1–4
  segmentum 142, 153, 157–8, 161, **162**, 163–4; Pl. 3, fig. 1; Pl. 4, figs. 7–12
  septata 157
  sholeshookensis 157
  tennessensis 158, 162
  triangularis 157, **158**, 159, 162
  tufogena 158, 162
  woodlandensis 158
  (*Opikella*) 156
    dissiticostella 158
Lebanon, Cretaceous salmoniform fishes 205–96
Leiotriletes 404
  wolffi brevis **373**; Pl. 2,fig . 8
  wolffi wolffi **373**; Pl. 2, figs. 7a–b
Lepidocyclina 92–4, 104–5, 108, 116, 119, 121
  acuta 117, **119**, 130
  flexuosa **119**, 130
  marginata 107
  mediocolumnata 124
  (*Eulepidina*) 93, 104–6, **116–17**, 120, 124, 126
    andrewsiana 98
    dilatata **116**
    ephippioides 98–9, **116**
    formosa **116**, 117
    papuaensis **116**
  (*Nephrolepidina*) 97, 105, 107, **117**, 118, 123, 130
    angulosa 118
    borneensis 118
    brouweri 118
    ferreroi 107, **117**, 130
    howchini 118

    inflata 106, **117**, 119, 130
    isolepidinoides 106, 115, **117**, 130
    japonica 99, 106–7, **117**, 130
    martini 107, **117**, 130
    parva 106, **117**, 118, 130
    sumatrensis 99, 106–7, **117**, 130
    verbeeki 99, 106, **117–18**, 130
    verrucosa 118
  (*Tribliolepidina*) **118**, 130
    fijiensis 118
    oneatensis 118
    orientalis 97, 107–8, **118**, 130
    radiata 108, 112, **118**, 130
    rutteni 99, 108, 113, **118**, 120–1, 130
    suvaensis 118
    talahabensis 108, **118**, 130
Lepidocyclina kalk 105
Lepisosteus 259
Leptaena 143, 158, 160, 162–3, 167–9, 172, 176–7, 182, 184–5, 187–8, 195, 197–8
  duplicata 167–9
  duvalii 168, 182
  grayi 195, 197–8
  minima 197–8
  minor 168
  quinquecostata 185, 187
  scissa 158, 160
  segmentum 162, 185, 188
    cornuta 185, 188
  sericea, var. 169
  sowerbyana 168
  transversalis 168–9, 172, 176–7, 182, 184–5, 187
    undulata 184–5, 187
Leptella (*Merciella*) *vesper* 155
Leptellinae 154–5
Leptellinidae 145–6, 154, **155**
  morphological terms 145
Leptellininae 154, **155**, 156
leptellininid, gen. et sp. indet. **155**; Pl. 1, figs. 6–8
Leptelloidea 143, 156, 159, 162
  segmentum 162
Leptestiidae 154
Leptestiina 156
Leptestiinae, Leptestiininae 154–5, **156**
leptolepid fishes 263, 266
Leptolepis 221, 261*, 264, 266–7, 283, 289
  attenuatus 284, 288
  australis 289
  bahiaensis 289
  brevis 284, 288
  brodiei 283, 285
  checchiai 284, 285, 288
  congolensis 286, 288–9
  coryphaenoides 261–2, 266
  diasii 289
  dubius 266
  formosus 284, 288
  leanzai 289
  neocomiensis 284–5, 286*, 288
  neumayri 284
  nevadensis 287–8
  sprattiformis 261
  tamanensis 289
  valdensis 283
  aff. *voithi* 284–5, 288
Leptograptidae **20**
Leptograptus 7, 9, 16, **20**
  capillaris 7, 9, **20**; Pl. 10, fig. 3
  flaccidus 7, 20
    arcuatus 7
Leptosomus neumayri 284
Lesueurilla sp. 421–2
Letter-classification, East Indian Tertiary 85–137
  compared with Europe 90–1
  interregional correlation 92
Leucosoma 281
Liliacea **391–2**
Linderina 119
  spp. 130
Liquidambar 404
  angaridae 384
  formosana 383
  macrophylla 383
  sp. **383–4**, 400; Pl. 8, figs. 1a–b
Lissoberyx 253
Lockhartia **119**
  alveolata 119
  spp. 100, 130
Loonyella 349
Lophocythere (*Lophocythere*) 332–6
    interrupta interrupta **335–6**; Pl. 9, figs. 2–4, 6–10
    directa 335
    ostreata 332–3
    scabra bucki **334–5**; Pl. 8, figs. 15–24; Pl. 9, figs. 1, 5
  (**Neurocythere**) 336–42, 345
    bradiana 333, 336
    cruciata cruciata 339, **340**; Pl. 11, figs. 18–22
      alata **336–8**, 339; Pl. 9, figs. 11–16; Pl. 10, figs. 1–5, 8
      intermedia **338–9**, 340; Pl. 10, figs. 6–7, 9–21; Pl. 11, figs. 1, 4
      oxfordiana **339–40**; Pl. 11, figs. 2–3, 5–17
    flexicosta flexicosta 342
      lutzei 341–2; Pl. 12, figs. 1–12
    oertlii 340
Lorettia 275
lower jaw of *Gaudryella* 220–2
  of *Humbertia* 242–3
Lower Palaeozoic stratigraphy of Taurus Mountains, Turkey 411–26, 425*
Lycopodiacea **370**
Lycopodium 398
  clavatum 370
  sp. **370**; Pl. 2, figs. 1a–b
Lygodium 373, 398
Lygodiumsporites 373

Macandrevia 75
  cranium 41, 48–9
Macrocyprididae 314
Macrocypris aequabilis **314**; Pl. 1, figs. 17, 19, 21, 26
Macropinna 270, 272
Maemong Limestone 99
Magas mesembrinus 38, 60, 69
Magellaniinae 31
Majanthemophyllum petiolatum 391
Mallotus 267, 280
Marginopora 93–4
  vertebralis 99, 107–8, **119**, 123, 128, 130
Mariana Limestone 99
Mastopora fava 153
Maurolicus 273–4
Meandropsina anahensis **119**, 130
Megalops 261–2, 264, 266
  cyprinoida 264*
Megathyrinae 31
Megerlea 74
  orbis 72
  pustulosa 66
Megerlia lima 50, 59
Megistaspis sp. 421–2
Melinau Limestone 96
Merciella 143, 152–3, **155**, 156
  vesper 153, **155**; Pl. 1, figs. 1–5
Metacytheropteron elegans 330
  nannodes 330
  striatulum 330
  sutherlandensis **329–30**; 331; Pl. 7, figs. 17–24
  sp. A **330–1**; Pl. 8, figs. 1–4
Metasequoia 374
Meting area, West Pakistan 89* & Fig. 2; 95
Mezounia bicuspis 156
Microstoma 270–1
  microstoma 270*
microstomatine fishes 266
miliolid foraminifera 93
Miocene 106–8
Miocene elements in Derbyshire plant beds 400, 401*
Miogypsina 94, 97, **119–20**, 124
  antillea 119
  cushmani 120
  epigona 120
  excentrica 120
  indonesiensis 120
  irregularis 120
  kotoi 120
  neodispansa 120
  polymorpha 120
  subtilis 120
  thecideaeformis 106, 111, 119, **120**, 130
  tuberosa 119
  spp. 106–7, 119
Miogypsinella 120
Miogypsinoides 94, 105, 119, **120**, 126
  bantamensis 96, 99, 106, **120**, 128, 130
  borodinensis 120
  complanatus 96, 106, **120**, 130
  cupulaeformis 99, **120–1**, 130
  dehaarti 99, 106, 111, 115, 120, **121**, 124, 128, 130
  lateralis 120
  ubaghsi 120
  spp. 130
Miscellanea miscella 100, **121**, 130
Mo-clay, Lr. Eocene of Denmark, undescribed 'clupavid' fish from 287
Moffat 4–5, 7, 13–19
  Dobbs Linn 4–6, 9
Moffat Series 4
Monoceratina scrobiculata **318**; Pl. 3, figs. 1–7, 9, 10
  stimulea **319**, 320; Pl. 3, figs. 8, 11–17
  sundanacensis 324
  vulsa **319–20**; Pl. 3, figs. 18–25
  sp. A **320**; Pl. 3, fig. 26
Monocolpites 365
Monocolpopollenites serratus 374
MONOD, O. 413–26
Morgan Limestone 98
Muhlfeldtiniae 31
Murray Basin, Australia 89* & Fig. 2; 98
myctophiform fishes 263
myctophoid fishes 266
Myodocopida 311–13
Myrica 387, 398
  carolinenesis 385
  gale 385
  javanica 385
  sp. **384–5**; Pl. 8, fig. 4
Myricacea **384–5**

Nansenia groenlandica 270
Neoalveolina 114, 121
Neogene plant beds in Derbyshire, palynological study 354–410
Neogene pocket deposits, Derbyshire 362
Neogenisporis 404
  neogenicus 371
neoteleost fishes 268
Nematonotus 228–9, 248, 253
Nephrolepidina, see *Lepidocyclina*
Neseuretus sp. 421, 423
Netherlands, palynological divisions of Neogene 363*
Neurocythere 336–42
? *Neurograptus* sp. 6
New Guinea 89* & Fig. 2; 96
Niobe 426
  sp. 423
Notanopliidae 144
Nummulites 92–4, 100–5, 116, **121**, 124, 126
  atacicus 101–2, **121**, 130
  bagelensis 122

  borneensis 122
  carteri 102, **121**, 130
  chavannesi 103, **121–2**, 131
  fabianii 103, **122**, 123–4, 131
  fichteli 104–5, 116, **122**, 131
  gizehensis 102, **122**, 131
  incrassatus 124
  javanus 102, 114, 116, **122**, 131
  kelatensis 100
  lahiri 121
  mamilla 121
  millecaput 102, **122**, 131
  nuttalli 100, **122**, 131
  pengaronensis 103–4, **122**, 131
  perforatus 102, 122
  semiglobulus 121
  thalicus 100, **122**, 131
  vascus 104, **122**, 131
Nymphograptus velatus 6
Nyssa 389, 400, 403–4
  sp. **381–2**; Pl. 7, figs. 10–11
Nyssacea **381–2**

Oligocene 103–6
Onagraceae **390–1**
Open-shelf facies 92
opercular bones of *Gaudryella* 222–3
  of *Humbertia* 245
Operculina 104, 108, **122–3**
  amplicuneata 123
  canalifera 100, **123**, 131
  complanata 97
  lucidisutura 99, 108, 123
  rectilata 99, 108, 123
  salsa **123**, 131
  sindensis 100, **123**, 131
  subsalsa 123
Operculinella 122
Operculinoides 122
  lucidisutura 108
  rectilata 108
Opertorbitolites **123**
  douvillei 101, 123
  spp. 131
Opikella 156–7
  dissiticostella 157
Opisthoproctus 270–2
Orbirhynchia mantelliana 56
Orbitolites 93–4, 124
  complanatus 101–2, 122, **123**, 131
Orbulina 100, 108, 120, **123–4**, 128
  suturalis 107, 123
  universa 98, 107, 110, 123
  spp. 131
Ordovician of Turkey 419
Ordovician–Silurian boundary 4
Orthis quinquecostata 189
Orthograptus 6–9, 13, 16–17, 20–1, **23–4**
  calcaratus 8–9
    basilicus 8
  fastigatus 21
  quadrimucronatus 7–8, **23**; Pl. 13, figs. 10–11
  truncatus 6–8, 13, 17, 20, **23–4**
    abbreviatus 6–7, 16–17, **24**; Pl. 15, figs. 4–6; Pl. 16, figs. 4–5
    pauperatus 7–8, 20, **24**; Pl. 16, figs. 1–2
    socialis 6–7, 13, **24**; Pl. 13, figs. 7–9; Pl. 16, fig. 7
    truncatus 6–7, 16, **23**; Pl. 16, figs. 3, 6
Orthosanthus chimboracensis 365
osmerid fishes 230, 263, 265, 267
osmeroid fishes 268, 276, 278, 281
Osmerus 272–3
  eperlanus 273*
Osmunda claytoniana 372
  javanica 372
  regalis 372
  sp. **371–2**; Pl. 2, figs. 3a–b
Osmundacea **371–2**
ostariophysan fishes 263, 276, 278
osteoglossoid fishes 235
Ostracoda, Scottish Callovian and Oxfordian 297–358
OWEN, E. F. 29–83

Pachythrissops 266
Palaeocene, late 100–2
Palaeocytheridea bakirovi 344
  parabakirovi **344**; Pl. 13, figs. 6–9
Palaeonummulites incrassatus **124**, 131
Palynological divisions of Neogene 363*
Palynological study of two of the Neogene plant beds in Derbyshire 359–410
Palynology, methods 366–7
  nomenclatural problems 364–6
palynomorphs 359–410
Panderina ? sp. 421
Papilionacea ? **380–1**
paracanthopterygian fishes 268
Parachanos 278
Paraclupavus caheni 287–8
Paracyprididae 314–15
Paracypris sp. A **314–15**; Pl. 1, figs. 20, 22, 23, 29
Paradoxides 424
  sp. 418–19
paradoxidid trilobite 418
Paramegalaspis ? sp. 421–2
Pata Limestone 98
PATTERSON, C. 205–96
Pattersonichthys 253
pectoral girdle and fin of *Gaudryella* 224–6
  of *Humbertia* 246
Pedicythere **anterodentina** **331–2**; Pl. 8, figs. 5–14
  tessae 332
Pellatispira 91–2, 100, 102–3, 111, 119, **124**
  orbitoidea 124
  tudensis 124
  spp. 131
pelvic girdle and fin of *Gaudryella* 226–7

- of *Humbertia* 247

peneroplid foraminifera 94
Peneroplis 93, **124–5**
- *dusenburgi* **125**
- *evolutus* 125
- *farsensis* 97, 125, 131
- *glynjohnsi* 125
- *thomasi* 125

Pentameroides 188
Pentamerus 184, 187–8
- *oblongus* 184, 188

Pentlandina 166
Pen-y-Garnedd Shales 8
Periporopollenites echinatus **391–2**; Pl. 9, figs. 6a–b
- *stigmosus* 383

Peronoplis ? sp. 418
Petraia sp. 188
pholidophorid fishes 263, 266
Pholidophorus 261
- *germanicus* 263, 267
- *macrocephalus* 263

Pholidostrophia 142
Photichthys 273–4
Picea sp. 375, **376**, 404; Pl. 4, figs. 1a–b
Pictothyris 74
Pinacea **375–9**
Pinus 376, 379–80, 383, 404
- *haploxylon* 377
- haploxylon-type 375, **377–8**, 400; Pl. 5, figs. 2–5
  - *major* 378
  - *minor* 378
- *sylvestris* 377
- sylvestris-type 375, **377–8**; Pl. 4, figs. 2a–b, 3a–b; Pl. 5, fig. 1

Pityosporites alatus 376–7
- *cedroides* 376
- *labdacus* 377
- *microalatus major* 376, 378
  - *minor* 378
- *podocarpoides* 380

Planorbulinella 119
Platidiinae 31
Platycopina 313–14
Plecoglossus 254, 269, 272, 281
Plectambonitacea 142, 144, 146, 148, 150, 152, **154**, 158, 166
- articulation 146
- ecology 152
- functional morphology 146–50
- mantle canal system 150
- morphological terminology 144
- muscle system 148
- previous research 143
- water circulation and feeding system 149

Plectambonites 157, 168–9, 171–2, 177, 189, 193, 195–6
- *aequalis* 195
- *duplicatus* 196
- *minor alatiformis* 168
- *mullochensis* 168; see *transversalis*
- *papillosa* 193
- *penkillensis* 168; see *transversalis*
- *precursor* 168
- *quinquecostatus* 189
- *scissa* 159
  - *triangularis* 157–9
- *segmentum* 159, 162
- *striatocostatus* 185
- *superstes* 168
- *tenera* 168
- *tennessensis* 157
- *transversalis* 169, 172, 177, 182
  - *duvali* 169, 182
  - *mullochensis* 168–9, 172
  - *penkillensis* 168, 172
  - *tricostata* 168–9, 172
- *tricostata* 168; see *transversalis*
- *undulatus* 196

Plectambonitidae 154
Plectodonta 143, 147, 165–9, 172, 180, 182, 188, 195
- *aknistensis* 195
- *duplicata* 169
- *duvali* 180–2
- *exceptionis* 168
- *mariae* 147*, 166–7
- *millinensis canastonensis* 172
- *mullochensis* 169
- *praecursor* 169
- *propinqua* 185
- *superstes* 169
- *thuringica* 168
- *transversalis* 177, 180, 182
  - *lata* 180–1

Plectodontella redunca 166
Plegmatograptus nebula 6–7
Pleurocythere 344–9
- **borealis borealis** **345–6**, 347; Pl. 13, figs. 10–24
- *borealis* **carinata** **346–8**; Pl. 14, figs. 1–12, 14
- **caledonia** **348–9**; Pl. 14, figs. 13, 15–24; Pl. 15, figs. 1–4, 11
- *connexa* 349
- *favosa* 349
- *quadricarinata* 345
- *richteri* 346, 348
- (*Sabacythere*) 345–6
  - *arenata* 346

Pleurocytherinae 344–9
Pleurograptus 4, 6–10, **20**
- *linearis* 4, 6–10, **20**; Pl. 10, figs. 1–2, 4
- *simplex* 7, 10

Pliocene 108
Pliocene elements in Derbyshire plant beds 400, 401*
pliomerid trilobite 424
Pocket deposits, Neogene 362
Podocarpaceae ? **379–80**

Podocarpoidites libellus **379–80**; Pl. 6, figs. 3–4
Podocarpus 379–80, 404
  kinkeli 379
Podocarpida 313–53
Podocarpina 314–53
Pollen frequency, absolute 394*, 395–8
Pollenites echinatus 391
  labdacus 378
  microhenrici 386
Polycope pelta **311**; Pl. 1, figs. 1–4
  sububiquita 312–13; Pl. 1, figs. 5–11, 15
Polycopidae 311–13
Polymetme 262, 264, 273–4
Polymixia 281
Polypodiacea **372**, 404; ? **373–4**
Polypodiisporites favus 372
Polypodium 373, 398
  vulgare 372
Polyvestibulopollenites versus 385
Pontocyprididae 315
Porocolpopollenites rotundus **381**; Pl. 7, figs. 8a–b
  vestibulum **381**; Pl. 7, figs. 7a–c, 9a–c
Port-an-Righ 302, 304, 307–11
  distribution of ostracoda in, 310*
  stratigraphical succession and position of samples Fig. 5 (facing 306)*
Praefuhrbergiella 343
Praeorbulina 124
Praerhapydionina delicata 104, **125**, 131
Praeschuleridea **batei 316–18**; Pl. 2, figs. 3, 4, 9–22
  caudata 318
  lepida 318
  mediopuncta 318
  subtrigona 318
  wartae 318
Preparation of fossil fish specimens, methods 208–9
Prochanos 278
Procytherura 323–5, 330
  tenuicostata 307*, **324–5**; Pl. 6, figs. 1–8
Productida 41–2
Progonocythere anoda 351
  crowcreekensis 351
  hieroglyphica 351–3
Progonocytheridae, Progonocytherinae 332–43
Protacanthopterygii 282
Protatrypa sp. 188
Proterovaginoceras sp. 422
Protochonetes 198
Protocycloceras sp. 422
Protocythere 344–5
  attendens 350
  crassula 351
  quadricarinata 345
  rodewaldensis 345
  sigmoidea 345
Protocytheridae 343–53
Protocytherinae 343–4
protolenid ? trilobite 418
Prototroctes 267, 275–6, 278–9, 281
  oxyrhynchus 275
Pseudohutsonia attendens 350–1
  hebridica 349–51; Pl. 15, figs. 5–10, 12–14, 16, 18
  tuberosa 351
  sp. A **351**; Pl. 15, figs. 15, 20–1
Pseudokingina 41
Pseudoperissocytheridea 351–3; see also *Progonocythere*
  crassula 351
  hieroglyphica 351–3
  milanovski 353
  nitikina 353
  parahieroglyphica 351, 352–3; Pl. 15, figs. 17, 19, 22–23
Psilothyris 78
Pteridium 372–3, 398
  aquilinum 373
Pterocarya sp. 400
Ptychoglyptinae 154, 164
Ptychoglyptus 166
Punjab 95
Pusgillian 10
Pycnosteroides 253

Qualitative analysis of pollen frequency 392–9
quercoid types 404
Quercoidites 386
Quercus 383, 386
  mediterranea 386–7

Radiocycloclypeus 113, 129
Range chart, foraminifera species in East Indian Tertiary 99–100
Ranikot fauna 100–1
Ranikothalia nuttalli 122
Redonia cf. *prisca* 421–2
Reef facies 92–3
Reticulatisporites potoniei 370
Retitriletes rueterbergensis 370
Retropinna 267, 275–6, 278–9, 281
  retropinna 276
  sp. 275
retropinnid fishes 278
Rhododendron 404
  sp. ? **390**; Pl. 9, fig. 10
'*Rhynchonella*' cf. *antidichotoma* 51
Rhynchonellida 42
Rhynchonellidae 51
Richthofenacea 150
Ross Peninsula, ostracod sampling localities in 306*
Rotalia atjehensis 99
Rugitela 78
Rugulatisporites 372

Sabah 98
Sabacythere 345–6
Saipan 89* & Fig. 2; 97–8

Sakesaria spp. **125**, 131
salangid fishes 281
Salix 398
  sp. **384**; Pl. 8, fig. 2
Salicacea **384**
Salmo 259
salmonid fishes 266
salmoniform fishes 268, 282, 291
  Cretaceous 205–96
salmonine fishes 263
Salt Range, Punjab, West Pakistan 89* & Fig. 2; 95
Sampo 156–7
Sapotaceae **389**, 404
Sarawak 96
Sardinioides 253; see also *Cassandra*
Saudia discoidea 125
  labyrinthica 100, 125
  spp. **125**, 131
Schizaea cf. *pusilla* 373
Schizaeacea ? **373–4**
Schlumbergerella floresiana **125**, 131
Schuleridea sp. 1 318
Schulerideidae, Schulerideinae 316–18
Sciadopitys tertiaria 374–5
  sp. 365, **374**, 400, 404; Pl. 3, fig. 4
Scombroclupea 209, 211, 289
  gaudryi 209–11, 288
  macrophthalma 211
  sp. 209
Scombroclupeoides scutata 289
Searsia 252
Seilor-lagen 105
Selagosporis 370
Sentolunia 191
Sequoia 374
Sericoidea 165, 191, 193, 195
Seydişehir, Turkey, country NW of, geology 415*
  Ordovician fossil localities near 420*
  stratigraphy of district 425*
Seydişehir Formation, Ordovician, of Turkey 419
    fossil localities in 421*
Shalloch Formation 8, 10, 12
Siju Limestone 96
Sindulites sindensis 123
skull roof of *Gaudryella* 211–17
  of *Humbertia* 232–8
Skye, N., ostracod sampling localities 303*, 304
Smilacipites echinatus 391
Smilax 391
  aspera 392
Sobova Limestone, Ordovician, of Turkey 419, 420*, 422
    fossil localities in 421*
Sobova section 423*
  valley 421*
soft anatomy of *Gaudryella* 230–1
  of *Humbertia* 249–50
Solenopleurids 418
Solenopleuropsis sp. 418
Solomon Islands 89* & Fig. 2; 99
Somalina spp. 101–2, **125**, 131
Sorites 93, 119
  marginalis 128
  orbiculus 128
South Australia 98
Sowerbyella 143, 146, 150, 160, 164–6, 169, 172, 176–7, 182, 184–5, 188–9, 195
  austrum 195
  canastonensis 168
  compressa 185, 187
  cornuta 188
  duplicata 169
  duvali 182
  elegans 168
  gracilis 189
  lata 168
  milliniensis 168, 172
    canastonensis 172, 176
    parabola 172, 176
  minuta 168
  mullochensis 169
  multiseptata 189
  nasuta 146
  parabola 168
  penkillensis 172
  plicata 185, 187
  precursor 143, 166, 169
  quinquecostata 160
  sericea 164
  superstes 169
  transversalis 177, 182
    duvali 182
    lata 182
  undulata 169, 184–5
    maccoyi 185, 187
    tricostata 169
Sowerbyellidae 146, 154, **164**
  morphological terms 146
  phylogeny 165
Sowerbyellinae 154, **164**, 166, 191
Sphagnacea **369–70**, 404
Sphagnum 385, 398
  sp. 369
Spiriferida 41
Spirinchus 259, 261, 272, 279–80
Spiroclypeus 88, 92, 96–7, 105–6, 115, 117, 120, 124, **125**, 126, 128
  albapustula 103, **125**, 131
  blanckenhorni 126
  higginsi 99
  margaritatus 128
  vermicularis 96, 103, **125**, 131
  yabei 99
  spp. 131
squamation of *Gaudryella* 230
  of *Humbertia* 249
Staffin Bay 302, 303*, 304–7, 310–11
  distribution of ostracoda in 308*
  stratigraphical succession in 305*

Stages and stage boundaries, East Indian Tertiary 100–8
Stereigranisporis 369
Stereisporites (*Distancoraesporis*) *crucis* **369**; Pl. 1, fig. 3
  germanicus rhenanus **369**; Pl. 1, figs. 5a–c
  wehningensis **369**; Pl. 1, figs. 4a–b
 (*Distgranisporis*) *granisteroides* **369**; Pl. 1, figs. 7a–b
  minimoides **369**; Pl. 1, figs. 8a–b
 (*Distverrusporis*) *pliocenicus*[2] **369**; Pl. 1, fig. 6
 (*Distzonosporis*) *microzonales* **369**; Pl. 1, figs. 11a–b
 (*Stereigranisporis*) *magnoides* **369**; Pl. 1, figs. 10a–b
  semigranulus **369**; Pl. 1, figs. 9a–b
 (*Stereisporites*) *minor microstereis* **369**; Pl. 1, figs. 2a–b
  stereioides[2] **369**; Pl. 1, fig. 1
Stichocentrus 253
stomiatoid fishes 268, 273, 278–9, 281
Stratigraphical chart of East Indies Tertiary 94–5
Strophomena bidecorata 168
Strophomenida 166
Sultan Dağ 414
Sutherlandshire, E., ostracod sampling localities in 306*
Symphysurus 426
 sp. 422–4
Symplocacea **381**, 404
Symplocos 381, 400
 setchuensis 381

'Taberina' malabarica 97, 107, 109, **126**, 131
Taffiidae 154
Tamanella 35, 78
Taraşçi, Ordovician rocks, section of 423*
Taurus Mountains, Turkey, stratigraphy of 411–26
Toxodiacea **374–5**, 400, 402, 404
Taxodium 374, 382, 403
Temperate element, Derbyshire Neogene pollens 404
Terebratellacea 29, 31, 41, **49**, 78
Terebratellida 42
Terebratellidina 29–31
Terebratula 32–3, 35, 37, 41, 43, 48–50, 52, 55–8, 61, 64–6, 70, 72, 74–5
 arcuata 41
 arenosa 55
 capillata 56
 deslongchampsi 41
 dorsata 49
 hebertiana 33, 64, 66
 koutaisensis 33, 48
 lemaniensis 37, 50, 52
 leonensis 75
 lima 33, 35, 49–50, 55, 59, 61
 orbis 32–3, 72
 ovata 41, 56
 pectoralis 35, 57
 pentangulata 64–6
 pseudogurensis 43, 70
 sexradiata 61–2
 spinulosa 52
 squamosa 58
 ventroplana 64
 wacoensis 74–5
Terebratulida 41
Terebratulidae 51
Tertiary, East Indian Letter classification 85–137
Tethyan province 422
Tetracolporopollenites sapotoides **389**; Pl. 9, figs. 3a–c
Tetradopollenites callidus 390
 ericius 390
Tetragraptus cf. *reclinatus* 422
Tetraodontella 156
Thaerodonta 164–5, 167
 aspera 164
Thaleichthys 261, 272, 279–80
Tharrhias 278
 araripis 277*
 feruglioi 289
 shamani 289
TOGHILL, P. 3–26
Toroisporitis ? pliocaenicus 373
Tribliolepidina, see *Lepidocyclina*
Tricolpopollenites henrici 400
 ipilensis 366, **380**; Pl. 7, figs. 1–3
 kruschi 381
 liblarensis fallax **380**; Pl. 7, fig. 6
  liblarensis **380**, 386, 400; Pl. 7, figs. 4–5
 microhenrici 364, 384, **386–7**, 400; Pl. 8, figs. 11–13
 parmularius 400
 retiformis **384**; Pl. 8, figs. 3a–b
Tricolporopollenites cingulum 400
 edmundi **382**, 400, 404; Pl. 7, fig. 14
 euphorii 400
 iliacus **388**; Pl. 9, figs. 1a–b
  major 389
  minor 389
 margaritatus **388**; Pl. 9, figs. 2a–b
 megaexactus brühlensis 400
 microreticulatus 400
 pseudocingulum 400
 waldensenensis 382
trilobites 416, 418, 426
Triplanosporites microsinuosus **373**; Pl. 2, fig. 9
Trivestibulopollenites betuloides **385**; Pl. 8, figs. 6–7
Tsuga 383, 389, 400, 402, 404
 canadensis 379, 402
 canadensis-type 375, **378–9**; Pl. 6, figs. 1a–b
 caroliniana 379
 diversifolia 379, 402
 diversifolia-type 375, **378–9**; Pl. 6, fig. 2

Tufoleptina 156–8
  tufogena 157
Tulipina 30, 32–3, 43, 48

Ulmacea **388**
Ulmus sp. **388**, 404; Pl. 8, figs. 8a–c
upper jaw, dermal, of *Gaudryella* 220
  of *Humbertia* 241–2

Verrucatosporites favus **372**, 404; Pl. 2, figs. 4a–b
vertebral column of *Gaudryella* 223–4
  of *Humbertia* 245–6
Vesticytherura 324–8
Vinciguerria 220, 273–4
Viruella 164, 166
  liliifera 164

Waconella 29, 37, 39, 72, **74–5**, 76–8
  wacoensis 29, 37, **75**, 76*, 77*, 78
Waldheimia 38, 70, 72
  orbis 72
  pseudojurensis 70
Warm element, Derbyshire Neogene pollens 404
Western Australia 98
West Pakistan 89* & Fig. 2
Wilfordia sarawakensis 103, **126**, 131
WHATLEY, R. C. 297–358
Whitehouse Formation, lower 9
  upper 8–10, 14, 17
Woodland Point 8

Xenambonitinae 154, 164

Ygera 164, 166–8, 177, 182
  bidecorata 167
  lata 167, 182
  sowerbyana 164, 167–8
  transversalis 167, 177, 182
  ygereus 164, 167–8
Ygerodiscus 142, 152–3, 165–7, 169, 174, **184**, 185–7, **188**, 189
  compressus 185, 188
  cornutus **188**, 189; Pl. 13, figs. 11–12; Pl. 14, figs. 1–2
  novemcostatus 185
  plicatus 185, 188
  undulatus 153, **185**, 186–8; Pl. 14, figs. 3–12; Pl. 15, figs. 1–12
    maccoyi 185, 188

Zeilleria convexiformis 52
'*Zeilleria*' *pseudojurensis* 33, 70
Zeilleriacea 29, 72
Zeilleriidae 48
Zittelina 29–30, 32–3, 39, 42, 43*, 44–5, 46*, 48, 70, **72**, 73–5
  caeliformis 72
  cubica 33, 74
  gutta 33, 74
  impressula 46*, 72
  latifrons 33, 74
  orbis 29, 33, 42, **72**, 73*, 74; Pl. 10, figs. 1a–c, 14
  triangularis 33, 74
Zonulapollenites igniculus 378
  viridifluminipites 378